



## ENERGY OFFICE

3<sup>rd</sup> Floor, Smart Exchange, 5 Walnut Road, Durban, 4001

P O Box 1014, Durban 4000

Tel: +27 31 322 2622, Fax: +27 31 311 1089

Email: [magash.naidoo@durban.gov.za](mailto:magash.naidoo@durban.gov.za)

[www.durban.gov.za](http://www.durban.gov.za)

# eThekweni Greenhouse Gas Emissions Inventory 2016

## Technical Report

---

## CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	eThekwini Municipality	1
1.2	eThekwini Greenhouse Gas Inventory	1
<b>2</b>	<b>Inventory Parameters</b>	<b>2</b>
2.1	Protocols	2
2.2	Boundaries	2
2.3	Scopes	2
<b>3</b>	<b>Inventory Details</b>	<b>4</b>
3.1	Municipal Emissions	4
3.2	Community Emissions	11
<b>4</b>	<b>Emissions Analysis</b>	<b>14</b>
4.1	Municipal Emissions	14
4.2	Community Emissions	18
<b>5</b>	<b>Comparison against previous inventory</b>	<b>18</b>
<b>6</b>	<b>Conclusions and Recommendations</b>	<b>21</b>
<b>7</b>	<b>Appendix A: eThekwini Municipality Key Indicators 2016</b>	<b>22</b>
<b>8</b>	<b>Appendix B: Emission &amp; Conversion Factors</b>	<b>24</b>
<b>9</b>	<b>Appendix C: JDE Bussiness Units</b>	<b>257</b>

## LIST OF TABLES

Table 1: Basic services provided by the eThekweni Municipality	1
Table 2: Emission sources included in the 2016 municipal operations inventory	3
Table 3: Emission sources included in the 2016 community inventory	3
Table 4: Emissions inventory and data disclosure for municipal buildings and other facilities	4
Table 5: Emissions inventory and data disclosure for streetlights and traffic signals	5
Table 6: Emissions inventory and data disclosure for municipal water delivery facilities	5
Table 7: Emissions inventory and data disclosure for municipal wastewater facilities	7
Table 8: Emissions inventory and data disclosure for municipal vehicle fleet	7
Table 9: Emissions inventory and data disclosure for municipal transit fleet	9
Table 10: Emissions inventory and data disclosure for municipal power generation and electrical distribution facilities	9
Table 11: Emissions inventory and data disclosure for municipal solid waste facilities	10
Table 12: Emissions inventory and data disclosure for municipal air travel	11
Table 13: Emissions inventory and data disclosure for community residential sector	11
Table 14: Emissions inventory and data disclosure for community commercial sector	12
Table 15: Emissions inventory and data disclosure for community industrial sector	12
Table 16: Emissions inventory and data disclosure for community transport sector	13
Table 17: Emissions inventory and data disclosure for community agricultural sector	13
Table 18: Emissions inventory and data disclosure for community solid waste sector	14
Table 19: GHG emissions inventory results	16
Table 20: Municipal sector emissions	17
Table 21: Municipal GHG intensity figures	16
Table 22: Community sector emissions	18
Table 23: Community GHG intensity figures	19
Table 24: Total Emissions Intensity Figures	19
Table 25: Percentage change of Emissions from baseline	18
Table 26: Comparison of Emissions 2016 against 2015	19

## LIST OF FIGURES

Figure 1: Municipal Sector Emissions	15
Figure 2: Community Sector Emissions	18
Figure 3: Comparison of Emissions 2010 through to 2016	18

# 1 INTRODUCTION

## 1.1 ETHEKWINI MUNICIPALITY

The eThekweni Municipal Area (EMA) covers an area of approximately 2 555 square kilometres of which 36% is rural and a further 29% is peri-urban. The Municipality is home to approximately 3.5 million people constituting a 7% share of the total South African population, making it the third most populated municipality in the country. The economy of the EMA is centred on the transport and logistics activities of the Port of Durban, domestic and export-oriented manufacturing and tourism. The Gross Domestic Product of the eThekweni Municipality during 2016 amounted to R289.3bn with a per capita income of R56, 903 (eThekweni Municipality Key Indicators 2016, Appendix A).

The EMA is governed by the eThekweni Municipality, with an Operating Budget of R33.1bn (2016/2016) and a Capital Budget of R6.0bn (2016/2016)<sup>1</sup>. During 2016 the Municipality employed 22,420 employees on a permanent and temporary basis. Basic services provided by the eThekweni Municipality are described in **Table 1**.

**Table 1: Basic services provided by the eThekweni Municipality**

Description	Details	Description	Details
Basic Services	Housing	Infrastructure	Stormwater
	Water		Roads
	Sanitation		Sidewalks
	Electricity & Lighting		Pedestrian bridges
	Solid Waste		Footpaths
	Transport		
	Safety & Security		
	Health		

## 1.2 ETHEKWINI GREENHOUSE GAS INVENTORY

During December 2010 the eThekweni Municipality became a signatory of the Global Cities Covenant on Climate (“Mexico City Pact”). In terms of this agreement the Municipality has committed to registering the Municipality’s greenhouse gas (GHG) emissions inventory, commitments, climate mitigation and adaptation measures and actions in the Carbon Cities Climate Registry.

In addition to meeting the Municipality’s Mexico City Pact commitments, reporting the Municipality’s GHG emissions will aid policy makers in forecasting emission trends, identifying the point and mobile sources of emissions generated, and setting goals for future reductions and mitigation.

The reporting of a municipal inventory also aligns eThekweni Municipality with the intentions of the National Climate Change Response White Paper (Department of Environmental Affairs, 2011) and the broader national government policy on climate change.

<sup>1</sup> [http://www.durban.gov.za/City\\_Government/City\\_Vision/IDP/Documents/Final%202015\\_15%20IDP.pdf](http://www.durban.gov.za/City_Government/City_Vision/IDP/Documents/Final%202015_15%20IDP.pdf)

## 2 INVENTORY PARAMETERS

### 2.1 PROTOCOLS

The eThekwini Municipality's 2016 GHG Inventory and Inventory Report were based upon the two Local Government GHG Emissions Analysis Protocols developed by ICLEI – Local Governments for Sustainability, namely the:

- International Local Government GHG Emissions Analysis Protocol Version 1.0; and
- Local Government Operations Protocol for the Quantification and Reporting of Greenhouse Gas Emissions Inventories Version 1.1.

The protocols are designed to provide a standardized set of guidelines to assist local governments in quantifying and reporting GHG emissions associated with their government and community operations. Both protocols are based upon the Corporate GHG Protocol developed by the World Resources Institute (WRI) and the World Business Council for Sustainable Development (WBCSD) as well as technical guidance provided by the United Nations Intergovernmental Panel on Climate Change (IPCC).

The protocols were followed closely to ensure that eThekwini's 2016 GHG Inventory can be compared with other municipalities and organisations around the world utilising the same protocol.

### 2.2

### 2.3 BOUNDARIES

#### 2.3.1 Temporal Boundary

The 2016 eThekwini GHG Inventory comprises emissions occurring during the 2016 calendar year, as required by ICLEI.

#### 2.3.2 Operational Boundaries

The municipal inventory separately accounts for emissions associated with the operations of the eThekwini Municipality (i.e. local government emissions) and the activities that occur within the EMA but which are not as a direct result of the Municipality's operations or assets (i.e. community emissions). These two sectors are broken down into the following analyses.

##### ■ Government Operations Analysis

The government operations analysis is defined by an organisational boundary and includes functions directly under the eThekwini Municipality's control and emissions arising from the use of all significant assets and services during 2016.

##### ■ Community Operations Analysis

The community operations analysis is defined by a geopolitical boundary and incorporates the physical area or region over which the eThekwini Municipality has jurisdictional authority. This analysis includes GHG emissions associated with activities (of the general public and industry / commerce) occurring within the eThekwini Municipality's geopolitical boundary generated during 2016.

### 2.4 SCOPES

The eThekwini Municipality 2016 GHG Inventory includes all important sources of GHG emissions occurring within the Municipality's geopolitical and organizational boundaries. Direct and indirect emissions are accounted for separately within each sector through the categorisation of emissions as either scope one, two or three emissions. Differentiating between emission scopes helps to avoid the possibility of double counting emissions and misrepresenting emissions when reporting.

### 2.4.1 Municipal Operations Emissions Scopes

Municipal operations emissions included in the inventory were categorised into the following scopes:

- **Scope 1** – Direct emission sources owned or operated by eThekweni Municipality.
- **Scope 2** – Indirect emission sources.
- **Scope 3** – Indirect and embodied emissions over which eThekweni Municipality exerts significant control or influence. Certain emissions from contracted services were included in the municipal operations emissions inventory in instances where the service provided by the contractor is commonly provided by a municipality. These contractor emissions may be either direct or indirect but are classified as scope 3 emissions within the municipal operations inventory regardless.

**Table 2** details the source of emissions included within each scope of the 2016 municipal operations emissions inventory.

**Table 2: Emission sources included in the 2016 municipal operations inventory**

Scope 1	Scope 2	Scope 3
Source of Emissions		
Stationary Fuel Combustion	Electricity Consumption	Employee Air Travel
Mobile Fuel Combustion	Electricity Transmission & Distribution Losses (Technical and Non-technical losses)	Transit vehicles operated by contractor
Wastewater Treatment		Electricity consumption by Eskom owned streetlights
Solid Waste Disposal		
Power Generation Facilities		

### 2.4.2 Community-scale Emissions Scopes

Community-scale emissions included within the 2016 inventory were categorised into the following scopes:

- **Scope 1** - All direct emission sources located within the geopolitical boundary of eThekweni Municipality.
- **Scope 2** - Indirect emissions that result as a consequence of activity within eThekweni Municipality's geopolitical boundary
- **Scope 3** - Indirect and embodied emissions that occur as a result of activity within the geopolitical boundary.

**Table 3** provides details of the source of emissions included within each scope of the 2016 community-scale emissions inventory.

**Table 3: Emission sources included in the 2016 community inventory**

Scope 1	Scope 2	Scope 3
Sources of Emissions		
Stationary Fuel Combustion	Electricity Consumption	Air Transport Systems
Mobile Fuel Combustion		Marine Transport Systems
Solid Waste Disposal		
Enteric Fermentation		
Pre-harvest Cane Burning		
Industrial Processes and Product Use		

# 3 INVENTORY DETAILS

## 3.1 MUNICIPAL EMISSIONS

This section provides a breakdown of GHG emissions calculated within the various municipal sectors. Included in the breakdown are details pertaining to data sources and calculations used to determine emissions.

### 3.1.1 Buildings and Other Facilities

The 'buildings and other facilities' sector includes, *inter alia*, emissions generated by administrative facilities, public venues, libraries, parks and recreational facilities operated by the eThekweni Municipality (**Table 4**). Excluded from this sector are wastewater treatment, water delivery and solid waste facilities, which are categorised separately.

**Table 4: Emissions inventory and data disclosure for municipal buildings and other facilities**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Stationary Combustion	2 896.3	2.45	10.8	2 909
<ul style="list-style-type: none"> <li>■ Emissions Source: Stationary combustion of fuel by municipal buildings and other facilities               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known fuel use calculated from fuel purchase data</li> <li>– Emissions Factor: ICLEI recommended factor - Default by fuel type (Defra 2011, IPCC 2006, TCR 2012; Appendix B)</li> <li>– Data Description: Data on the quantity of fuel purchased, for stationary combustion, by the Municipality during 2016 was obtained from the Procurement Department for all departments within the Municipality</li> <li>– Data Source: eThekweni Procurement Department</li> </ul> </li> </ul>					
Scope 2	Purchased Electricity				134 822
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption by municipal buildings and other facilities               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended data type - Known electricity use</li> <li>– Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Electricity charges supplied by the eThekweni Treasury Department and grouped according to the individual JDE code  Electricity supplied to departments by Eskom directly – consumption data provided by Eskom</li> <li>– Data Issues: Electricity charges were supplied by the Treasury department</li> <li>– Data Source: Treasury Department ; Eskom</li> </ul> </li> </ul>					

### 3.1.2 Streetlights and Traffic Signals

This sector includes electricity consumption by streetlights and traffic signals owned by the Municipality (**Table 5**). It is also noted that Eskom provides street lighting infrastructure within the outer regions of the EMA. Emissions generated by Eskom owned streetlights are classified as the Municipality's scope 3 emissions.

**Table 5: Emissions inventory and data disclosure for streetlights and traffic signals**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 2	Purchased Electricity				121 149
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption by municipal owned and operated streetlights and traffic signals               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI specified alternative activity data - Installed wattage</li> <li>– Emissions Factor: ICLEI recommended factor - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Traffic Lights - Number of signalised intersections that the Municipality caters for, type (LED or incandescent) and the average energy drawn per intersection. Streetlights - Streetlight count and type (HID or LED) and actual kWh used per year.</li> <li>– Data Issues:</li> <li>– Data Source: Traffic Lights - Transport Authority; Streetlights - Electricity Department</li> </ul> </li> </ul>					
Scope 3	Electricity consumed by Eskom street lighting				1 095
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption by Eskom owned and operated streetlights               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known electricity use</li> <li>– Emissions Factor: ICLEI recommended factor - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Account numbers for traffic lights that fall within the eThekweni Municipality, number of lights and wattage.</li> <li>– Data Issues:</li> <li>– Data Source: Electricity Department</li> </ul> </li> </ul>					

### 3.1.3 Water Delivery Facilities

The water delivery facilities sector includes any facilities used for the transportation, treatment and distribution of drinking water (**Table 6**).

**Table 6: Emissions inventory and data disclosure for municipal water delivery facilities**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 2	Purchased Electricity				77 568
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption by water pump stations and reservoirs</li> </ul>					



- Activity Data:  
ICLEI recommended activity data - Known electricity use
- Emissions Factor:  
ICLEI recommended factor - Verified Eskom emission factor (Appendix B)
- Data Description:  
Electricity charges were supplied by the Treasury department and grouped into business units according to their GI-code. All Business units labelled as "Water" were accounted here  
  
Electricity consumption data provided by Eskom for facilities supplied directly by Eskom.
- Data Source: Eskom

### 3.1.4 Wastewater Facilities

The wastewater sector includes all facilities used for the transportation and collection or treatment of wastewater/sewage. The eThekweni Municipality own/control and operate wastewater treatment plants (WWTP) encompassed within the inventory included KwaMashu, New Germany, Northern, Phoenix, Umdloti, Umhlanga, Tongaat Central, Gennazanno, Verulam, Kingsburgh, Umkomaas, Craigieburn, Magabeni, Amamzimtoti, Dassenhoek, Hillcrest, Hammarsdale, Cato Ridge, Fredville, Umhlatuzana and Umbilo (**Table 7**).

**Table 7: Emissions inventory and data disclosure for municipal wastewater facilities**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Stationary Combustion	-	19 595	-	19 595
<ul style="list-style-type: none"> <li>■ Emissions Source: Incomplete combustion of digester gas at a WWTP with anaerobic digestion of biosolids               <ul style="list-style-type: none"> <li>- Activity Data: Population served; ICLEI Equation 10.2</li> <li>- Data Description: Population served by wastewater treatment plants with anaerobic digesters. The population served was estimated by the Water &amp; Sanitation Department based on a consumption value of 400 litres per person per day.</li> <li>- Model Issue: The model specified by ICLEI assumes biogas is flared; however, certain eThekweni's WWTP's do not flare. When calculating methane emissions for these facilities the model parameter 'Methane Destruction Efficiency' was assumed to be zero.</li> <li>- Data Source: Water and Sanitation Department</li> </ul> </li> </ul>					
Scope 1	Process Emissions	-	4 414	26 575	30 999
<ul style="list-style-type: none"> <li>■ Emissions Source: Anaerobic and facultative treatment lagoons               <ul style="list-style-type: none"> <li>- Activity data: Population served - ICLEI Equation 10.4</li> <li>- Data Description: Population served by treatment lagoons adjusted for industrial discharge</li> </ul> </li> <li>■ Emissions Source: WWTP with nitrification/denitrification               <ul style="list-style-type: none"> <li>- Activity Data:</li> </ul> </li> </ul>					

<ul style="list-style-type: none"> <li>Population served - ICLEI Equation 10.7</li> <li>- Data Description: <ul style="list-style-type: none"> <li>Population served by the WWTP with nitrification/denitrification adjusted for industrial discharge</li> </ul> </li> <li>■ Emissions Source: WWTP without nitrification/denitrification</li> <li>- Activity Data: <ul style="list-style-type: none"> <li>Population served - ICLEI Equation 10.8</li> </ul> </li> <li>- Data Description: <ul style="list-style-type: none"> <li>Population served by the WWTP without nitrification/denitrification adjusted for industrial discharge</li> </ul> </li> <li>■ Emissions Source: Effluent discharge to receiving aquatic environment</li> <li>- Activity Data: <ul style="list-style-type: none"> <li>Population served - ICLEI Equation 10.10</li> </ul> </li> <li>- Data Description: <ul style="list-style-type: none"> <li>Population served, adjusted for industrial discharge</li> </ul> </li> <li>■ Data Source: eThekwini Water &amp; Sanitation</li> </ul>					
Scope 2	Purchased Electricity				41 842
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity Consumption</li> <li>- Activity Data: <ul style="list-style-type: none"> <li>ICLEI recommended data type - Known electricity use</li> </ul> </li> <li>- Emissions Factor: <ul style="list-style-type: none"> <li>ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> </ul> </li> <li>- Data Description: <ul style="list-style-type: none"> <li>Electricity charges were supplied by the Treasury department</li> <li>Electricity consumption data provided by Eskom for facilities directly supplied by Eskom.</li> </ul> </li> <li>- Data Source: Treasury Department – Wally Bentley; Eskom</li> </ul>					

### 3.1.5 Vehicle Fleet

The vehicle fleet sector includes all emissions generated by vehicles (on-road and off-road) owned by the eThekwini Municipality (**Table 8**). These vehicles are either managed by the City Fleet Department, Water Department, Solid Waste Department or Electricity Department.

**Table 8: Emissions inventory and data disclosure for municipal vehicle fleet**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Mobile Combustion	42 463	36.72	431.75	42 933

- Emissions Source: Fuel combustion by on-road and off-road vehicles
  - Activity Data:  
ICLEI recommended activity data - Fuel purchases
  - Emissions Factor:  
ICLEI recommended factor - Default by fuel type (Defra 2011; Appendix B)
  - Data Description:  
Emissions calculated from records of internal and external refuelling held by the City Fleet Department during 2016.
  - Data Source: City Fleet - (internal & external refuelling); Electricity Fleet; Water & Sanitation Fleet; DSW Fleet; Emergency Services (Specialised vehicles only)

### 3.1.6 Transit Fleet

The transit sector should include emissions from mass transit vehicles operated by the Municipality to service the community of the EMA. However, as the Municipality’s transit fleet has been outsourced to a private contractor the emissions generated are classified as scope three instead of scope one emissions (**Table 9**).

**Table 9: Emissions inventory and data disclosure for municipal transit fleet**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 3	Mobile Combustion	30 758	17	340	31 115

- Emissions Source: Fuel combustion by on-road transit fleet
  - Activity Data:  
ICLEI recommended activity data - Fuel purchases
  - Emissions Factor:  
ICLEI recommended factor - Default by fuel type (Defra 2011; Appendix B)
  - Data Description:  
Bulk monthly diesel consumption, by privately operated municipal busses, for calendar year 2016.
  - Data Source: Tansnet

### 3.1.7 Power Generation Facilities

Although the Municipality does not own or operate any fossil fuel power generation facilities, it does own a large proportion of the electricity distribution infrastructure within the EMA. Transmission and distribution losses resulting from the transmission of electricity via the municipal owned infrastructure are therefore categorised as scope two municipal emissions (**Table 10**). In addition, the 2016 GHG EI has started reported the Municipal consumption of Sulphur Hexafluoride (SF<sub>6</sub>), which is used in electrical switch gear; this is classified as Scope 1.

**Table 10: Emissions inventory and data disclosure for municipal power generation and electrical distribution facilities**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Power Generation facilities: Fugitive Emissions				

- Emissions Source: Sulphur Hexafluoride (SF<sub>6</sub>)
  - Activity Data:

<ul style="list-style-type: none"> <li>SF6 consumption data</li> <li>– Emissions Factor: ICLEI recommended factor type (Appendix B)</li> <li>– Data Description: Municipal consumption/purchase of SF6.</li> <li>– Data Source: eThekwini Electricity Department</li> </ul>				
Scope 2	Transmission & Distribution Losses: Technical			344 530
<ul style="list-style-type: none"> <li>■ Emissions Source: Technical transmission and distribution losses</li> <li>– Activity Data: eThekwini Electricity Department calculations</li> <li>– Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Estimated technical losses data was provided by the Electricity Department.</li> <li>– Data Source: eThekwini Electricity Department</li> </ul>				
Scope 2	Transmission & Distribution Losses: Non-Technical			882 337
<ul style="list-style-type: none"> <li>■ Emissions Source: Non-technical transmission and distribution losses</li> <li>– Activity Data: eThekwini Electricity Department calculations</li> <li>– Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Estimated non-technical losses data was provided by the Electricity Department.</li> <li>– Data Source: eThekwini Electricity Department</li> </ul>				

### 3.1.8 Solid Waste Facilities

eThekwini Municipality owns four solid waste landfills, namely:

- Bisasar Road Landfill –operational, landfill gas (LFG) collection system in place;
- Mariannahill Landfill –operational, LFG collection system in place;
- La Mercy Landfill – closed, LFG collection system in place; and,
- Buffelsdraai Landfill – operational, no LFG collection system in place.

Fugitive methane emissions generated by these landfills are classified as scope one municipal emissions (**Table 11**).

**Table 11: Emissions inventory and data disclosure for municipal solid waste facilities**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Fugitive Emissions	-	82 066	-	82 066

<ul style="list-style-type: none"> <li>■ Emissions Source: Landfills with comprehensive LFG collection systems <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended data type - ICLEI Equation 9.1</li> <li>– Data Description: Annual LFG collected, fraction of methane in LFG and methane destruction efficiency of system Data Source: eThekweni Cleansing and Solid Waste Department</li> </ul> </li> <li>■ Emissions Source: Landfills with no LFG Collection System <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended model and data type – First Order Decay Model</li> <li>– Data Description: Historical and inventory year waste disposal data</li> <li>– Data Source: eThekweni Cleansing and Solid Waste Department</li> </ul> </li> </ul>					
Scope 2	Purchased Electricity				2 149
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended data type - Known electricity use</li> <li>– Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Electricity charges were supplied by the Treasury department and grouped into business units according to their GI-code. All Business units labelled as “Cleansing and Solid Waste” were accounted for.</li> <li>– Data Source: Treasury Department</li> </ul> </li> </ul>					

### 3.1.9 Air Travel

Greenhouse gas emissions generated from work-related air travel, by municipal employees, are categorised as scope three municipal emissions (Table 12).

**Table 12: Emissions inventory and data disclosure for municipal air travel**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 3	966	1 145	1	11	1 157
<ul style="list-style-type: none"> <li>■ Emissions Source: Fuel combustion by air transport systems <ul style="list-style-type: none"> <li>– Activity Data: GHG Protocol recommended data type – number of flights and destination data</li> <li>– Emissions Factor: Defra 2011 emissions factor – emission factor based on length of flight (Appendix B)</li> <li>– Data Description: Number of domestic and international flights boarded by the Municipal employees during 2016 obtained from contracted travel agents. New routes travelled during 2016 have been included</li> <li>– Data Source: Rennies Travel ; Turner Group</li> </ul> </li> </ul>					

## 3.2 COMMUNITY EMISSIONS

### 3.2.1 Residential Sector

This emissions sector includes all emissions generated by the EMA's residential sector through electricity consumption as well as stationary fuel combustion (**Table 13**). During 2016 the EMA comprised an estimated 1 063 243 households with an annual per household income of R202 667 (eThekweni Municipality Key Indicators 2016).

**Table 13: Emissions inventory and data disclosure for community residential sector**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Stationary Combustion	201 043	391	517	201 951
<ul style="list-style-type: none"> <li>■ Emissions Source: Stationary combustion of fuel               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known fuel use</li> <li>– Emissions Factor: ICLEI recommended factor - Default by fuel type (Defra 2011, Appendix B)</li> <li>– Data Description: Data on the quantity of fuel purchased, for stationary combustion, within the EMA received from the Department of Energy.</li> <li>– Data source: National Department of Energy</li> </ul> </li> </ul>					
Scope 2	Purchased Electricity				3 399,158
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended data type - Known electricity use</li> <li>– Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Electricity consumption by all residences receiving electricity from the Municipality obtained from the eThekweni Electricity Department</li> <li>– Data Source: eThekweni Electricity Department</li> </ul> </li> </ul>					

### 3.2.2 Commercial Sector

This emissions sector includes all emissions generated by the EMA's commercial sector through electricity consumption only (**Table 14**). During 2016 annual retail trade sales within the eThekweni Municipality amounted to R59, 3bn (eThekweni Municipality Key Indicators 2016).

**Table 14: Emissions inventory and data disclosure for community commercial sector**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 2	Purchased Electricity				2 072 205

- Emissions Source: Electricity consumption
  - Activity Data: ICLEI recommended data type - Known electricity use
  - Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)
  - Data Description: Electricity consumption by all commercial enterprises receiving electricity from the Municipality obtained from the eThekwini Electricity Department
  - Data Source: eThekwini Electricity Department; Eskom

### 3.2.3 Industrial Sector

This emissions sector includes all emissions generated by the EMA's industrial sector through electricity consumption as well as stationary fuel combustion (**Table 15**).

**Table 15: Emissions inventory and data disclosure for community industrial sector**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Stationary Combustion				4 375 401
<ul style="list-style-type: none"> <li>■ Emissions Source: Stationary combustion of fuel               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known fuel use</li> <li>– Emissions Factor: ICLEI recommended factor - Default by fuel type (Defra 2011; Appendix B)</li> <li>– Data Description: Data on the quantity of fuel purchased, for stationary combustion, within the EMA received from the Department of Energy.</li> <li>– Data Source: National Department of Energy</li> </ul> </li> </ul>					
Scope 2	Purchased Electricity				4 980 062
<ul style="list-style-type: none"> <li>■ Emissions Source: Electricity consumption               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended data type - Known electricity use</li> <li>– Emissions Factor: ICLEI recommended factor type - Verified Eskom emission factor (Appendix B)</li> <li>– Data Description: Electricity consumption by all industrial enterprises receiving electricity from the Municipality was obtained from the eThekwini Electricity Department;</li> <li>– Data Source: eThekwini Electricity Department; Eskom</li> </ul> </li> </ul>					

### 3.2.4 Transport

The community transport sector includes emissions generated by community owned on-road and off road vehicles as well as by the community's air and marine transport systems (**Table 16**). Air and marine transport systems are classified as scope 3 emissions.

**Table 16: Emissions inventory and data disclosure for community transport sector**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			

Scope 1	Mobile Combustion	6 383 966	7 309	59 560	6 450 835
<ul style="list-style-type: none"> <li>■ Emissions Source: On-road and off road vehicles <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known fuel use</li> <li>– Emissions Factor: ICLEI recommended factor - Default by fuel type (Defra 2011; Appendix B)</li> <li>– Data Description: Data on the amount of petrol and diesel consumed within the EMA during 2011 was provided by the Department of Energy.</li> <li>– Data Source: National Department of Energy</li> </ul> </li> </ul>					
Scope 3	Mobile Combustion – Air Travel	261 242	213	2 570	264 070
<ul style="list-style-type: none"> <li>■ Emissions Source: Air transport systems fuel combustion <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known fuel use</li> <li>– Emissions Factor: ICLEI recommended factor - Default by fuel type (Appendix B)</li> <li>– Data Description: Data on the amount of jet fuel and aviation gasoline purchased within the EMA during 2016 was provided by the Department of Energy.</li> <li>– National Department of Energy</li> </ul> </li> </ul>					
Scope 3	Mobile Combustion – Water Travel	4 004 012	4 342	419 403	4 427 756
<ul style="list-style-type: none"> <li>■ Emissions Source: Water transport systems fuel combustion <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended activity data - Known fuel use</li> <li>– Emissions Factor: ICLEI recommended factor - Default by fuel type (Appendix B)</li> <li>– Data Description: National Department of Energy</li> </ul> </li> </ul>					

### 3.2.5 Agriculture

Emissions sources covered within the agriculture sector included enteric fermentation by livestock and pre-harvest sugarcane burning (Table 17). Both these emission sources are classified as community scope one emissions.

**Table 17: Emissions inventory and data disclosure for community agricultural sector**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Enteric Fermentation		16 558		16 558
<ul style="list-style-type: none"> <li>■ Emissions Source: Enteric fermentation by livestock <ul style="list-style-type: none"> <li>– Activity Data: IPCC 2006 recommended data – livestock type and numbers</li> <li>– Emissions Factor: IPCC 2006 emissions factor - Default by animal type (Appendix B)</li> <li>– Data Description: Livestock survey results for 2016 obtained from the Department of Agriculture, Forestry and Fisheries</li> <li>– Data Source: National Department of Agriculture, Forestry and Fisheries</li> </ul> </li> </ul>					
Scope 1	Residue Burning		51 573	19 738	71 310



- Emissions Source: Infield pre-harvest sugarcane burning
  - Activity Data:  
IPCC 2006 Equation 2.27 Estimation of GHG Emissions from Fire
  - Emissions Factor:  
IPCC 2006 factors
  - Data Description:  
Area under sugarcane calculated from D'MOSS database provided by Municipality's Environmental Management Department
  - Data Source: Development and Environmental Management Department

### 3.2.6 Solid Waste

The community solid waste sector includes emissions generated by privately owned landfills situated within the Municipality's geopolitical boundary (**Table 18**).

**Table 18: Emissions inventory and data disclosure for community solid waste sector**

Scope	Emissions Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total
		Tonnes CO <sub>2</sub> e			
Scope 1	Fugitive Emissions		183 574		183 574
<ul style="list-style-type: none"> <li>■ Emissions Source: Fugitive emissions generated by two privately owned landfills               <ul style="list-style-type: none"> <li>– Activity Data: ICLEI recommended model and data type – First Order Decay Model</li> <li>– Data Description:</li> <li>– Data Issue: Values updated for 2016.</li> <li>– Data Source: Enviroserv</li> </ul> </li> </ul>					

## 4 EMISSIONS ANALYSIS


Within both the Municipal Operations Analysis and the Community Operations Analysis the principal contributor to GHG emissions are scope 2 indirect emissions from electricity consumption, although community scope 1 emissions are almost as large as the community scope 2 (**Table 19**).

**Table 19: GHG emissions inventory results**

EMISSIONS SCOPE	MUNICIPAL EMISSIONS (tCO <sub>2</sub> e)	COMMUNITY EMISSIONS (tCO <sub>2</sub> e)
Scope 1	181 911 (10%)	11 456 051 (43)
Scope 2	1 603 303 (90%)	10 451 425 (39%)
Selected Scope 3	33 367 (2%)	4 691 827 (18%)

### 4.1 MUNICIPAL EMISSIONS

The principal municipal emission source, contributing 69% to the Municipality's total 2016 GHG emission inventory, was electrical transmission and distribution losses (Power Generation Facilities) (scope 2).



**Figure 1: Municipal Sector Emissions**

**Table 20: Municipal sector emissions**

Municipal Sector	Emissions Scope	Emissions (tonnes CO <sub>2</sub> e)	%
Buildings and Other Facilities	Scope 1	2,909	7.6
	Scope 2	134,822	
Additional Scope 3 Emissions	Scope 3	1,157	0.1
Power Generation Facilities	Scope 1		67.5
	Scope 2	1,226,867	
Sanitation and Solid Waste Facilities	Scope 1	82,066	4.6
	Scope 2	2,149	
Streetlights and Traffic Signals	Scope 3	120,055	6.7
Vehicle Fleet	Scope 3	1,095	
Wastewater Facilities	Scope 1	31,115	2.4
	Scope 2	50,584	
Water Delivery Facilities	Scope 2	41,842	5.1
Industrial Process and Product Use	Scope 1	77,568	4.3

#### 4.1.1 Municipal GHG Emissions Intensity Figures

Emissions intensity figures calculated for the Municipality are provided in **Table 21**. These figures were calculated by combining all municipal scope 1 and 2 emissions and dividing them by the relevant indicator.


**Table 21: Municipal GHG intensity figures**

Intensity Figure	Unit	Metric Numerator	Unit	Metric Denominator	Unit
R 51.15	tCO <sub>2</sub> e / million Rand of operating budget	1,785,214	tCO <sub>2</sub> e (Municipal Scope 1 & 2)	R 349100.00 <sup>2</sup>	Million Rand Operating Budget (2016/ 2017)
R 266.45	tCO <sub>2</sub> e / million Rand of Capital budget	1, 785,214	tCO <sub>2</sub> e (Municipal Scope 1 & 2)	R 6 700.00 <sup>3</sup>	Million Rand Capital Budget (2016/ 2017)
79.12	tCO <sub>2</sub> e / Permanent employee	1, 785,214	tCO <sub>2</sub> e (Municipal Scope 1 & 2)	22 563 <sup>4</sup>	Permanent Employees

## 4.2 COMMUNITY EMISSIONS

### 4.2.1 Community Emissions Analysis

The principal community sector emission source within the EMA during 2016 was the industrial sector, contributing 35% to total community emissions (**Figure 2, Table 22**). The second major contributor was the on-road and off-road (ground) transport sector contributing 24% to overall community emissions.



**Figure 2: Community Sector Emissions**

<sup>2</sup>[www.durban.gov.za/Resource\\_Centre/reports/Budget/Documents/ServiceDeliveryandBudgetImplementationPlan2016.17.pdf](http://www.durban.gov.za/Resource_Centre/reports/Budget/Documents/ServiceDeliveryandBudgetImplementationPlan2016.17.pdf)

<sup>3</sup>[www.durban.gov.za/Resource\\_Centre/reports/Budget/Documents/ServiceDeliveryandBudgetImplementationPlan2016.17.pdf](http://www.durban.gov.za/Resource_Centre/reports/Budget/Documents/ServiceDeliveryandBudgetImplementationPlan2016.17.pdf)

<sup>4</sup>EThekweni Municipality, Human Resources

**Table 22: Community sector emissions**

Community Sector	Emissions Scope	Emissions (tonnes CO <sub>2</sub> e)	%
Residential	Scope 1	201 951	13.54
	Scope 2	3 399 158	
Commercial	Scope 2	2 072 205	7.79
Industrial	Scope 1	4 375 401	35.17
	Scope 2	4 980 062	
On-road and Off-road Vehicles	Scope 1	6 450 835	24.25
Rail, Air and Water Transport Systems	Scope 3	4 691 827	17.64
Solid Waste	Scope 1	183 574	0.69
Industrial process & Product Use	Scope 1	156 422	0.59
Agriculture, Land Use and Forestry	Scope 1	87 868	0.33

#### 4.2.2 Community Emissions Intensity Figures

Emissions intensity figures calculated for the EMA for 2016 are provided in **Table 23**. These emissions were calculated by combining relevant sector scope one and two emissions and dividing them by the relevant indicators.

**Table 23: Community GHG intensity figures**

Intensity Figure	Unit	Metric Numerator	Unit	Metric Denominator	Unit
3.33	tCO <sub>2</sub> e / household	3,601,109	tCO <sub>2</sub> e (Residential Scope 1 & 2)	1 082 597 <sup>5</sup>	Number of households within the EMA
R 34.14	tCO <sub>2</sub> e / retail trade sales	2,072,205	tCO <sub>2</sub> e (Commercial Scope 1 & 2)	R60 700.00 <sup>6</sup>	2016 Annual retail trade sales

#### 4.2.3 Total Emissions Intensity Figures

Total emission intensity figures (for the municipality and the community) are recorded in the table below. These emissions were calculated by combining relevant sector scope emissions and dividing them by the relevant indicators. A per capita figure has been calculated using total scope 1 and 2 emissions, and separately using emissions from all three scopes to account for different methodologies of calculating this figure.

**Table 24: Total Emissions Intensity Figures**

Intensity Figure	Unit	Metric Numerator	Unit	Metric Denominator	Unit
6.20	tCO <sub>2</sub> e / Capita	23,629,691	tCO <sub>2</sub> e (Scope 1 & 2)	3,820,174	Population within the EMA
7.44	tCO <sub>2</sub> e / Capita	28,471,885	tCO <sub>2</sub> e (Scope 1, 2 & 3)	3,820,174	Population within the EMA

<sup>5</sup>Global Insight/Economic Development & Investment Promotion Unit/Procurement & Infrastructure: Development engineering

<sup>6</sup>Global Insight/Economic Development & Investment Promotion Unit/Procurement & Infrastructure: Development engineering

## 5 COMPARISON AGAINST PREVIOUS INVENTORIES

The 2010 eThekweni GHG Inventory serves as the baseline inventory because the methodology for collecting and reporting data was clearly defined for this period. This emerging emissions trend is summarised in the table and graph below. As is evident from these data sets, there is a continued and steady increase in greenhouse gas emissions over time in the city. This trend is primarily a result of improved data collection methodologies but also due to increased uses of energy and carbon intensive processes in the city.




Figure 3: Comparison of Emissions 2010 through to 2016

Table 25: Percentage change of Emissions from baseline

Year	Government Emissions	Community Emissions	Total Emissions	% Change	% Change from 2010 Baseline
2010	1,104,212	25,962,074	27,066,285		
2011	1,551,420	26,097,979	27,649,400	2.2%	2.2%
2012	1,526,431	27,833,965	29,360,395	6.2%	8.3%
2013	1,450,928	27,290,630	28,741,558	-2.1%	6.2%
2014	1,586,674	27,505,329	29,092,003	1.2%	6.2%
2015	1,715,259	25,352,653	27,067,912	-7.0%	-0.8%
2016	1,818,581	26,599,303	28,417,885	5.0%	4.2%

This technical report provides a detailed comparison of the difference in emissions between the years 2011 to 2016, as shown below in Table 25.

The total emissions for 2016 were estimated in 28 417 885 tCO<sub>2</sub>e; 26 599 303 tCO<sub>2</sub>e (94%) from the Community sector, while 1 818 581 tCO<sub>2</sub>e (6%) are produced from the Municipal sector.

Total emissions had increased by 5% from year 2014 to 2016, which is equivalent to 1 349 972 tCO<sub>2</sub>e emitted. The municipal and community sectors changed 6% (103 321.8 tCO<sub>2</sub>e) and 5% (1 246 650.4 tCO<sub>2</sub>e) respectively.

**Table 26: Comparison of Emissions 2016 against 2013**

Scope	Type	Sub-Type	2015 (tCO <sub>2</sub> e)	2016 (tCO <sub>2</sub> e)
Municipal Scope 1	Fuel Consumption	Stationary Fuel Combustion	1,412.0	2,909.5
		Vehicle Fleet	31,216.6	42,933.4
	Solid Waste	Solid Waste (CH <sub>4</sub> )	82,700.2	82,066.0
	Wastewater Treatment	Wastewater (CH <sub>4</sub> )	49,711.1	50,584.2
	IPPU	Bitumen	17,435.0	3,417.9
Municipal Scope 2	Electricity Consumption	Buildings	164,888.4	134,822.0
		Streetlights & Traffic Signals	120,161.7	120,054.8
		Water Delivery Facilities	102,104.2	77,567.7
		Transmission and Distribution Losses	1,049,239.5	1,226,866.9
		Solid Waste Facilities	3,108.6	2,149.5
		Wastewater Facilities	38,921.3	41,842.4
		Streetlights	-	1,094.6
Municipal Scope 3	Transport Systems	Transit Fleet	31,491.8	31,115.0
		Flights	1,882.4	1,157.2

<b>Subtotal Municipal</b>			<b>1,715,259.3</b>	<b>1,818,581.1</b>
Community Scope 1	Fuel Consumption	Stationary Fuel Combustion	4 620 025.2	4,577,351.8
		Mobile Fuel Combustion	6 211 787.7	6,450,835.2
	Solid Waste	Solid Waste	190 683.0	183,574.0
	Industrial Processes & Product Use	IPPU	146 295	156,422.0
	Industrial Processes & Product Use	IPPU	44 333.4	47,885.4
	Agric & Landuse	Agric & Landuse	87 868.4	87,868.4
Community Scope 2	Electricity Consumption	Residential	2 568 723.2	3,399,158.3
		Commercial	2 048 861.0	2,072,205.3
		Industrial	4 732 537.2	4,980,061.9
Community Scope 3	Transport Systems	Air Transport Systems	273 782.6	264,070.2
		Water Transport Systems	4 427 756.4	4,427,756.4
<b>Subtotal Community</b>			<b>25 352 653.0</b>	<b>26,599,303.4</b>
<b>Total</b>			<b>27 067 912.3</b>	<b>28,417,884.6</b>

## 6 CONCLUSIONS AND RECOMENDATIONS

Total emissions estimated for 2016 was 28,417,885 tCO<sub>2</sub>e, the estimation is more by 1,351,599 tCO<sub>2</sub>e from the 2010 baseline. The community sector accounts for 94% of all the emissions and the municipality sector accounts for 6%. Both municipal sector and community sector emissions has increased as compared to the 2015 emission results.

Transportation and industrial sector have been identified as the largest emitters, sitting at 39% and 33% respectively.

Transport is the highest emitter in the community sector contributing 42% to the total emissions in the sector. Transport looked at on-road and off-road vehicles (24%) and rail, air and water transport system (18%).

The electricity consumption in the residential, commercial and industrial sectors has observed an increase between.



## 7 APPENDIX A: ETHEKWINI MUNICIPALITY KEY INDICATORS 2016

EThekweni Municipality: Key Indicators: 2016 <sup>7</sup>	
Indicators	2016
Gross Value Added (GVA)	R265,9bn(Constant 2005 Prices)
Gross Domestic Product (GDP)	R292,1bn
Gini Coefficient	0.63
Per Capita Income	R61,425
GVA Average Annual Growth (1996–2011/2012)	1.1%
Population	3,820,174 <sup>8</sup>
Geographic Area	2, 555km <sup>2</sup>
Population Growth (1996-2011/2012)	1,4%
Population Density	1,495 persons/ km <sup>2</sup>
Number of people living with < \$2 per day	1,484,546
Number of households	1,082,597
Urbanization Rate	83,3%
Percentage of people in poverty	32%
Annual Per household income	217,510
Human Development Index	0.65
Annual Disposable income	R153,335
Unemployment Rate	14.9%
Annual Expenditure	R227,2bn
Annual Retail Trade sales	R60,7n
Council Operating Budget: 2013/14	R37,5 bn
Council Capital Budget: 2013/14	R7,5bn
Total Exports:	R71,8 bn
Total Imports:	R104,7bn

<sup>7</sup> Global Insight/Economic Development & Investment Promotion Unit/Procurement & Infrastructure: Development engineering

<sup>8</sup> STATSSA: Census 2011: Municipal Fact Sheet

# 8 APPENDIX B: EMISSION & CONVERSION FACTORS

Emission & Conversion Factors						
Emission Factors						
<b>Fuel Combustion Factors</b>						
Stationary Fuel						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> per unit				
HFO	tonnes	3212.5	2.8	13	3228.3	2011, Defra GHG Conversion Factors
Bitumen	TJ	80700	210	186	81096	2006 IPCC Guidelines
Natural Gas	cubic meters	2.0154	0.003	0.0012	2.0196	2011, Defra GHG Conversion Factors
LPG	litres	1.4884	0.001	0.0023	1.4917	
Coal (Industrial)	tonnes	2339	1.4	42.7	2383.1	
Coke	tonnes	2955.4	30.4	70.7	3056.5	
Illuminating Paraffin (Burning C	litres	2.5299	0.0054	0.0069	2.5422	
Acetylene	litres	0.003719			0.003719	2012, The Climate Registry
Paraffin Wax	TJ	73300	210	186	73696	2006 IPCC Guidelines
Refinery Gas	GJ	54.2	0.02	0.03	54.25	NGA 2010
Road Transport Fuel						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> e per unit				
Petrol	litres	2.30	0.0046	0.02	2.322	2011, Defra GHG Conversion Factors
Diesel	litres	2.64	0.0015	0.03	2.672	
Aviation Fuel						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> per unit				
Int. Jet Fuel (Aviation Turbine F	litres	2.52	0.0012	0.02	2.548	2011, Defra GHG Conversion Factors
Jet Fuel Local	litres	2.52	0.0012	0.02	2.548	
Aviation Gasoline	litres	2.21	0.0227	0.02	2.259	
Marine Fuel						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> per unit				
Marine Fuels	litres	2.7667	0.003	0.2898	3.0595	2011, Defra GHG Conversion Factors
<b>Indirect Energy Source Factors</b>						
Electricity						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> e per unit				
Eskom	KWh	n/a	n/a	n/a	1.03	Eskom Annual Report, 2011 (T&D losses not included)
<b>Agriculture &amp; Land use Factors</b>						
Livestock						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> e per head per year				
Goats	head	n/a	105	n/a	105	2006 IPCC Guidelines
Cattle	head	n/a	651	n/a	651	
Sheep	head	n/a	105	n/a	105	

Aviation Factors						
Conversion Factors						
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	Total kg CO <sub>2</sub> e	Reference
		kg CO <sub>2</sub> e per passenger km				
Domestic Flights	Average	0.16313	0.0001	0.00161	0.16484	2011, Defra GHG Conversion Factors
Short-haul International	Average	0.09589	0.00001	0.00094	0.09684	
Long-haul International	Average	0.11037	0.00001	0.00109	0.11147	
Distances						

#### Global Warming Potential Factors

#### GWP's

#### GHG Global Warming Factors

Emissions	Chemical Formula	Conversion Factor	Reference
Carbon dioxide	CO <sub>2</sub>	1	2011, Defra GHG Conversion Factors
Methane	CH <sub>4</sub>	21	
Nitrous oxide	N <sub>2</sub> O	310	

#### Conversion Factors

#### Conversion Factors

#### Common

1 barrel	159	litres	2011, Defra GHG Conversion Factors
1 gigagram	1000	tonnes	
1 cubic meter	1000	litres	
HFO			
1 cubic meter	977.5	kilograms	
Bitumen			
1 tonne	6.06	barrels	<a href="#">2006 International Energy Annual (IEA)</a>
1 gigagram (Gg)	40.2	TJ	<a href="#">2006 IPCC Guidelines</a>
Paraffin Wax			
1 tonne	7.87	barrels	<a href="#">2006 International Energy Annual (IEA)</a>
1 gigagram (Gg)	40.2	TJ	<a href="#">2006 IPCC Guidelines</a>
Lubricants			
1 cubic meter	950	kilograms	<a href="#">2011, Defra GHG Conversion Factors</a>

## 9 APPENDIX C: JDE BUSSINESS UNITS

<b>CATEGORIES FOR GROUPING OF MUNICIPAL ENERGY ACCOUNTS</b>
Airport services
Area based management
Assessment rates
Audit
Business support
City enterprises
City fleet
City hall admin & city secretary
City manager's office
Cleansing & solid waste
Communications
Community participation & acti
Corporate GIS
Corporate policy
Development planning & management
Disaster management
Durban energy office
Durban transport
Economic development & facility
Electricity
Electricity depo
Emergency control centre-admin
Emergency services
Engineering
EThekwini transport authority
Expenditure
Finance & major projects
Formal housing
Gas to electricity
General - JSB
Health
Housing
Human resources
Income
Information technology
Ink
Internal control & business sy
Investigations
Legal services
Management services & org stru
Markets
Metropolitan police
Miscellaneous
Occupational health & safety

Office of dcm:health & social
Office of dcm:safety & security
Office of international & government
Office of the d c m:corp & hum
Office of the d c m:governance
Office of the d c m:procuremen
Office of the d c m:sust.devel
Office of the d c m:Treasury
Ombudsperson & head: investigate
Parks, recreation & culture
Performance management
Real estates
Regional centres
Retail market
Sanitation
Sdb
Security management
Skills development
Strategic projects
Stadium
Supply chain management
Trading results
Transport
Vat claims - SARS
Water